## NSN 5962-01-035-7484

Digital Microcircuit - Page 1 of 1

**Demilitarization:** Yes - demil/mli

Fiig: A458a0



View Online at https://aerobasegroup.com/nsn/5962-01-035-7484 **Body Length:** 1.400 inches **Body Width:** Between 0.514 inches and 0.588 inches **Body Height:** Between 0.190 inches and 0.210 inches **Operating Tempurature Range:** +0.0/+70.0 degrees celsius Storage Tempurature Range: -65.0/+160.0 degrees celsius **End Application:** Tac-tmds fscm 05869 **Features Provided:** Hermetically sealed and monolithic and bidirectional and w/enable and positive outputs and w/strobe and 3-state output **Inclosure Material:** Ceramic and glass **Inclosure Configuration:** Dual-in-line **Output Logic Form:** Transistor-transistor logic **Input Circuit Pattern:** 20 input **Design Function And Quantity:** 1 driver, bus **Time Rating Per Chacteristic:** 45.00 nanoseconds propagation delay time, low to high level output **Test Data Document:** 05869-725000-473 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a **Unit Of Measure:**