NSN 5962-01-037-4474

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-037-4474

Body Length: 0.720 inches **Body Width:** Between 0.250 inches and 0.270 inches **Body Height:** 0.095 inches **Maximum Power Dissipation Rating:** 500.0 milliwatts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **End Application:** Signal data converter p/n 220-27121-101 fscm 80378 **Features Provided:** Hermetically sealed and adjustable and monolithic and negative outputs and positive outputs and bipolar **Inclosure Material:** Ceramic and metal **Inclosure Configuration:** Dual-in-line **Input Circuit Pattern:** 10 input **Design Function And Quantity:** 1 converter, digital to analog **Terminal Surface Treatment: Time Rating Per Chacteristic:** 375.00 nanoseconds propagation delay time, low to high level output **Test Data Document:** 96214-772636 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a Unit Of Measure: Demilitarization:

Yes - demil/mli

Fiig:

--

Tin

A458a0