# NSN 5962-01-040-6385

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-040-6385

### **Body Outside Diameter:**

Between 0.335 inches and 0.370 inches

#### **Body Height:**

Between 0.165 inches and 0.185 inches

## Maximum Power Dissipation Rating:

500.0 milliwatts

#### **Operating Tempurature Range:**

-30.0/+85.0 degrees celsius

#### Storage Tempurature Range:

-65.0/+150.0 degrees celsius

#### **End Application:**

Transmitter, radio type t-827/urt

#### **Features Provided:**

Hermetically sealed and monolithic and positive outputs and w/enable and edge triggered and presettable

#### Inclosure Material:

Glass and metal

# Inclosure Configuration:

Can

#### **Output Logic Form:**

Resistor-transistor logic

#### Input Circuit Pattern:

4 input

#### **Design Function And Quantity:**

1 flip-flop, j-k, clocked

#### Case Outline Source And Designator:

T0-99 joint electron device engineering council

#### **Terminal Surface Treatment:**

Gold

#### Voltage Rating And Type Per Characteristic:

4.0 volts power source

#### **Precious Material And Location:**

Terminals gold

#### **Precious Material:**

Gold

#### Test Data Document:

06845-4013373 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

# Terminal Type And Quantity:

8 pin

#### Shelf Life:

N/a

#### Unit Of Measure:

# NSN 5962-01-040-6385

Digital Microcircuit - Page 2 of 2

## Demilitarization:

Yes - demil/mli

Fiig:

A458a0

