NSN 5962-01-043-9132



Memory Microcircuit - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5962-01-043-9132 **Body Length:** Between 1.190 inches and 1.230 inches **Body Width:** Between 0.580 inches and 0.610 inches **Body Height:** Between 0.080 inches and 0.120 inches **Maximum Power Dissipation Rating:** 730.0 milliwatts **Operating Tempurature Range:** +0.0/+70.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **Features Provided:** Monolithic and hermetically sealed and negative outputs and positive outputs and w/enable and w/buffered output and w/storage and w/decoded output and programmable and programmed and 3-state output **Inclosure Material:** Ceramic and metal **Inclosure Configuration:** Dual-in-line **Output Logic Form:** P-type metal oxide-semiconductor logic **Input Circuit Pattern:** 10 input **Terminal Surface Treatment:** Gold Voltage Rating And Type Per Characteristic: -20.0 volts power source and 0.3 volts power source **Memory Device Type:** Rom **Memory Capacity:** Unknown **Precious Material And Location:** Terminals gold and body gold **Precious Material:** Gold **Terminal Type And Quantity:** 24 printed circuit Shelf Life: N/a

Demilitarization:

Unit Of Measure:

Yes - demil/mli

NSN 5962-01-043-9132

Memory Microcircuit - Page 2 of 2



Fiig:

A458a0