# NSN 5962-01-043-9844

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-043-9844

## **Body Length:**

Between 0.640 inches and 0.786 inches

## Body Width:

Between 0.220 inches and 0.310 inches

## **Body Height:**

Between 0.120 inches and 0.185 inches

# **Maximum Power Dissipation Rating:**

12.75 milliwatts

#### **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

#### Storage Tempurature Range:

-65.0/+150.0 degrees celsius

#### **Features Provided:**

Burn in, mil-std-883, class b and high speed and monolithic and positive outputs and w/totem pole output

#### **Inclosure Material:**

# Ceramic and metal

# Inclosure Configuration:

Dual-in-line

#### **Output Logic Form:**

Transistor-transistor logic

#### Input Circuit Pattern:

Triple 3 input

#### **Design Function And Quantity:**

3 gate, and

#### **Terminal Surface Treatment:**

Solder

#### Voltage Rating And Type Per Characteristic:

-1.5 volts power source and 5.5 volts power source

#### Time Rating Per Chacteristic:

24.00 nanoseconds propagation delay time, low to high level output and 24.00 nanoseconds propagation delay time, high to low level output

#### **Terminal Type And Quantity:**

14 printed circuit

#### Shelf Life:

N/a

#### Unit Of Measure:

---

#### Demilitarization:

Yes - demil/mli

#### Fiig:

A458a0