## NSN 5962-01-044-2570

Linear Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-044-2570 **Body Length:** 1.050 inches **Body Width:** 1.050 inches **Body Height:** 0.280 inches **Maximum Power Dissipation Rating:** 1.0 watts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **End Application:** Detecting-ranging set, sonar type an/aqs-13b **Features Provided:** Hermetically sealed and hybrid and negative outputs and positive outputs and edge triggered **Inclosure Material:** Metal **Inclosure Configuration:** Can **Input Circuit Pattern:** 3 channel **Design Function And Quantity:** 1 switch, analog **Terminal Surface Treatment:** Gold **Voltage Rating And Type Per Characteristic:** -28.0 volts power source and 10.5 volts power source **Precious Material And Location:** B0dy gold **Precious Material:** Gold **Test Data Document:** 77068-3310430 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) **Terminal Type And Quantity:** 2 pin Shelf Life: N/a **Unit Of Measure:** 

Yes - demil/mli

Demilitarization:

## NSN 5962-01-044-2570

Linear Microcircuit - Page 2 of 2



Fiig:

A458a0