## NSN 5962-01-047-4915

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-047-4915
Body Outside Diameter:
Between 0.550 inches and 0.650 inches
Body Height:
Between 0.270 inches and 0.330 inches
Maximum Power Dissipation Rating:
4.0 watts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
Features Provided:
High impedance and monolithic and high slew rate and wideband
Inclosure Material:
Metal
Inclosure Configuration:
Can
Input Circuit Pattern:
1 input
Design Function And Quantity:
1 amplifier, current
Case Outline Source And Designator:
T0-8 joint electron device engineering council
Terminal Surface Treatment:
Tin
Voltage Rating And Type Per Characteristic:
-20.0 volts power source and 20.0 volts power source
Time Rating Per Chacteristic:
$500.00 \ \text{nanoseconds} \ \ \text{propagation delay time,} \ \ \text{low to high level output}$
Terminal Type And Quantity:
12 pin
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli

Fiig:

A458a0