NSN 5962-01-050-9396

Memory Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-050-9396

Body Length:
Between 0.745 inches and 0.755 inches
Body Width:
Between 0.245 inches and 0.252 inches
Body Height:
Between 0.115 inches and 0.125 inches
Maximum Power Dissipation Rating:
332.8 milliwatts
Operating Tempurature Range:
+0.0/+75.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
Features Provided:
Bipolar and 3-state output and programmed and w/enable
Inclosure Material:
Plastic
Inclosure Configuration:
Dual-in-line
Output Logic Form:
Transistor-transistor logic
Input Circuit Pattern:
6 input
Current Rating Per Characteristic:
77.00 milliamperes reverse current, dc absolute
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
7.0 volts power source
Capitance Rating Per Characteristic:
5.00 input pascal industrial light tank stock and 8.00 output pascal industrial light tank stock
Time Rating Per Chacteristic:
50.00 nanoseconds access
Memory Device Type:
Prom
Terminal Type And Quantity:
16 printed circuit
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

Yes - demil/mli

NSN 5962-01-050-9396

Memory Microcircuit - Page 2 of 2



Fiig:

A458a0