NSN 5962-01-053-4287

Digital Microcircuit - Page 1 of 1

Yes - demil/mli

Fiig: A458a0



View Online at https://aerobasegroup.com/nsn/5962-01-053-4287 **Body Length:** Between 0.740 inches and 0.890 inches **Body Width:** Between 0.220 inches and 0.310 inches **Body Height:** Between 0.140 inches and 0.205 inches **Maximum Power Dissipation Rating:** 250.0 milliwatts **Operating Tempurature Range:** +0.0/+75.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **End Application:** Generator set, synthesized signal type an/usm-40 (v) **Features Provided:** Hermetically sealed and monolithic and positive outputs and w/disable and w/enable and w/decoded output and w/buffered output and bipolar and w/open collector and wire-or outputs and w/storage and programmable and programmed and 3-state output **Inclosure Material:** Ceramic and glass **Inclosure Configuration:** Dual-in-line **Output Logic Form:** Transistor-transistor logic **Input Circuit Pattern:** 10 input **Test Data Document:** 28480-1816-0042 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a **Unit Of Measure: Demilitarization:**