NSN 5962-01-053-6310

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-053-6310

Body Length:

Between 0.745 inches and 0.755 inches

Body Width:

Between 0.245 inches and 0.252 inches

Body Height:

Between 0.115 inches and 0.125 inches

Maximum Power Dissipation Rating:

480.0 milliwatts

Operating Tempurature Range:

+0.0/+75.0 degrees celsius

Storage Tempurature Range:

-65.0/+150.0 degrees celsius

End Application:

Test set, flight line type an/alm-154

Features Provided:

Bipolar and monolithic and high speed and schottky and programmable and programmed and w/enable and w/disable and w/buffered output

and w/decoded output and expandable

Inclosure Material:

Plastic

Inclosure Configuration:

Dual-in-line

Output Logic Form:

Transistor-transistor logic

Input Circuit Pattern:

6 input

Time Rating Per Chacteristic:

35.00 nanoseconds propagation delay time, low to high level output and 35.00 nanoseconds propagation delay time, high to low level output

Test Data Document:

80249-1sps910076 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A458a0