## NSN 5962-01-054-4377

Digital Microcircuit - Page 1 of 1

A458a0



View Online at https://aerobasegroup.com/nsn/5962-01-054-4377

view Offilite at https://aerobasegroup.com/histi/3302-01-004-4577
Body Outside Diameter:
Between 0.355 inches and 0.370 inches
Body Height:
Between 0.160 inches and 0.180 inches
Operating Tempurature Range:
+0.0/+75.0 degrees celsius
Storage Tempurature Range:
-55.0/+150.0 degrees celsius
End Application:
Test set, @electronic circuit plug-in unit, type an/usm-422
Features Provided:
Monolithic and hermetically sealed and negative outputs and positive outputs and w/buffered output and w/enable and edge triggered
Inclosure Material:
Glass and metal
Inclosure Configuration:
Can
Output Logic Form:
P-type metal oxide-semiconductor logic
Input Circuit Pattern:
3 input
Design Function And Quantity:
2 shift register, static
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
-14.0 volts power source and 5.5 volts power source
Time Rating Per Chacteristic:
450.00 nanoseconds propagation delay time, low to high level output and 450.00 nanoseconds propagation delay time, high to low level
output
Terminal Type And Quantity:
10 pin
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig: