## NSN 5962-01-055-8610

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-055-8610

view Online at https://aerobasegroup.com/hsh/osoz-o-r-oso-oo-ro
Body Length:
Between 0.750 inches and 0.795 inches
Body Width:
Between 0.245 inches and 0.300 inches
Body Height:
Between 0.120 inches and 0.195 inches
Operating Tempurature Range:
+0.0/+70.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
End Application:
Aircraft, b-1b; strategic weapon systems (poseidon & trident)
Features Provided:
Hermetically sealed and monolithic and positive outputs and w/enable and 3-state output and schottky and programmable and programmed
Inclosure Material:
Ceramic and glass
Inclosure Configuration:
Dual-in-line
Output Logic Form:
Transistor-transistor logic
Input Circuit Pattern:
10 input
Criticality Code Justification:
Feat
Case Outline Source And Designator:
-0-001-ag joint electron device engineering council
Time Rating Per Chacteristic:
35.00 nanoseconds propagation delay time, low to high level output and 35.00 nanoseconds propagation delay time, high to low level
output
Special Features:
Weapon system essential
Test Data Document:
28480-1816-0345 standard (includes industry or association standards, individual manufactureer standards, etc.).
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

Fiig:

A458a0

Yes - demil/mli