NSN 5962-01-055-9546



Memory Microcircuit - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5962-01-055-9546 **Body Length:** Between 0.880 inches and 0.910 inches **Body Width:** 0.295 inches **Body Height:** Between 0.145 inches and 0.165 inches **Maximum Power Dissipation Rating:** 625.0 milliwatts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **End Application:** Circuit card assembly, p/n 3267143 **Features Provided:** Hermetically sealed and positive outputs and monolithic and 3-state output **Inclosure Material:** Ceramic and glass **Inclosure Configuration:** Dual-in-line **Output Logic Form:** Complementary-metal oxide-semiconductor logic **Input Circuit Pattern:** 15 input **Terminal Surface Treatment:** Solder Voltage Rating And Type Per Characteristic: 7.0 volts total supply **Memory Device Type:** Prom **Memory Capacity:** Unknown **Test Data Document:** 82577-932611 standard (includes industry or association standards, individual manufactureer standards, etc.). **Terminal Type And Quantity:** 18 printed circuit Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

Yes - demil/mli

NSN 5962-01-055-9546

Memory Microcircuit - Page 2 of 2



Fiig:

A458a0