

View Online at <https://aerobasegroup.com/nsn/5962-01-057-0654>

**Body Length:**

Between 0.660 inches and 0.785 inches

**Body Width:**

Between 0.220 inches and 0.291 inches

**Body Height:**

0.200 inches

**Maximum Power Dissipation Rating:**

825.0 milliwatts

**Operating Temperature Range:**

-55.0/+125.0 degrees celsius

**Storage Temperature Range:**

-65.0/+150.0 degrees celsius

**End Application:**

Multiplexer-demultiplexer, type td-1147/tsc

**Features Provided:**

Hybrid and negative outputs and positive outputs and hermetically sealed and w/field effect transistor switch

**Inclosure Material:**

Ceramic and metal

**Inclosure Configuration:**

Dual-in-line

**Input Circuit Pattern:**

2 channel

**Design Function And Quantity:**

1 switch, analog and 1 switch, field effect transistor

**Terminal Surface Treatment:**

Solder

**Voltage Rating And Type Per Characteristic:**

7.5 volts power source

**Time Rating Per Characteristic:**

1500.00 nanoseconds propagation delay time, low to high level output and 600.00 nanoseconds propagation delay time, high to low level output

**Test Data Document:**

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

**Terminal Type And Quantity:**

14 printed circuit

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A458a0