## NSN 5962-01-058-4868

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-058-4868

Body Length:	
0.840 inches	
Body Width:	
Between 0.220 incl	nes and 0.310 inches
Body Height:	
Between 0.140 incl	nes and 0.185 inches
Maximum Power I	Dissipation Rating:
77.0 milliwatts	
Operating Tempu	rature Range:
-55.0/+125.0 degre	es celsius
Storage Tempurat	ure Range:
-65.0/+150.0 degre	es celsius
End Application:	
Radar set, type an/	fps-115
Features Provided	l:
Hermetically sealed	and monolithic and positive outputs and w/enable and 3-state output and low power and schottky and complementary
outputs and w/deco	oded output
Inclosure Material	:
Ceramic and glass	
Inclosure Configu	ration:
Dual-in-line	
Output Logic Forr	n:
Transistor-transisto	r logic
Input Circuit Patte	ern:
12 input	
Design Function	And Quantity:
2 multiplexer, four	to one line
Case Outline Sou	rce And Designator:
D-2 mil-m-38510	
Terminal Surface	Treatment:
Solder	
Voltage Rating Ar	d Type Per Characteristic:
5.5 volts power so	urce
Test Data Docume	ent:
81349-mil-m-3851(	) specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes c	ommercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and	performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Terminal Type An	d Quantity:
16 printed circuit	
Specification Data	
81349-mil-m-3851(	0/309 government specification
Shelf Life:	
N/a	

- N/a
- Unit Of Measure:

## NSN 5962-01-058-4868

Digital Microcircuit - Page 2 of 2

## Demilitarization:

Yes - demil/mli

Fiig:

A458a0

