NSN 5962-01-058-4869

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-058-4869

Body Length: 0.440 inches	
0.440 inches	
Body Width:	
Between 0.245 inches and 0.285 inches	
Body Height:	
Between 0.045 inches and 0.085 inches	
Maximum Power Dissipation Rating:	
424.0 milliwatts	
Operating Tempurature Range:	
-55.0/+125.0 degrees celsius	
Storage Tempurature Range:	
-65.0/+150.0 degrees celsius	
End Application:	
Navigational set, loran, type an/arn-101	
Features Provided:	
Hermetically sealed and monolithic and positive outputs and w/enable and resettable and complementary outputs and high s	peed and
w/storage and true/complementary and w/clear and asynchronous	
Inclosure Material:	
Ceramic and glass	
Inclosure Configuration:	
Flat pack	
Output Logic Form:	
Transistor-transistor logic	
Input Circuit Pattern:	
10 input	
Design Function And Quantity:	
2 shift register	
Case Outline Source And Designator:	
F-5 mil-m-38510	
Terminal Surface Treatment:	
Solder	
Voltage Rating And Type Per Characteristic:	
5.5 volts power source	
Test Data Document:	
81349-mil-m-38510 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in s	specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on c	ertain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).	
Terminal Type And Quantity:	
16 flat leads	
Specification Data:	
81349-mil-m-38510/159 government specification	
Shelf Life:	

N/a

Unit Of Measure:

NSN 5962-01-058-4869

Digital Microcircuit - Page 2 of 2

Demilitarization:

Yes - demil/mli

Fiig:

A458a0

