# NSN 5962-01-062-0024

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-062-0024

## **Body Length:**

Between 1.170 inches and 1.190 inches

## **Body Width:**

Between 1.170 inches and 1.190 inches

# **Body Height:**

Between 0.130 inches and 0.150 inches

# **Maximum Power Dissipation Rating:**

4.9 watts

#### **Operating Tempurature Range:**

-55.0/+100.0 degrees celsius

#### Storage Tempurature Range:

-65.0/+150.0 degrees celsius

#### **Features Provided:**

Hermetically sealed and high gain and hybrid and negative outputs and positive outputs

#### Inclosure Material:

Glass and metal

# Inclosure Configuration:

inclosure configuration

Flat pack

# Input Circuit Pattern:

12 input

#### **Terminal Surface Treatment:**

Solder

#### Voltage Rating And Type Per Characteristic:

-15.0 volts power source and 32.0 volts power source

#### **Precious Material And Location:**

Body surface gold

#### **Precious Material:**

Gold

#### Test Data Document:

88818-a574a321 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing,

etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

## Terminal Type And Quantity:

36 flat leads

#### Shelf Life:

N/a

#### Unit Of Measure:

---

#### Demilitarization:

Yes - demil/mli

# Fiig:

A458a0