NSN 5962-01-063-4743

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-063-4743

Body Length: 0.390 inches Body Width: Between 0.235 inches and 0.260 inches Body Height: Between 0.045 inches and 0.085 inches Maximum Power Dissipation Rating: 400.0 milliwatts Operating Tempurature Range:

-55.0/+125.0 degrees celsius

Storage Tempurature Range:

-65.0/+150.0 degrees celsius

End Application:

Navigational set, lorain type an/arn-101

Features Provided:

Hermetically sealed and monolithic and positive outputs and w/open collector and medium power and medium speed

Inclosure Material:

Ceramic and glass

Inclosure Configuration:

Flat pack

Output Logic Form:

Transistor-transistor logic

Input Circuit Pattern:

Quad 2 input

Design Function And Quantity:

4 gate, nand buffer

Case Outline Source And Designator:

F-2 mil-m-38510

Terminal Surface Treatment:

Solder

Voltage Rating And Type Per Characteristic:

-1.5 volts power source and 5.5 volts power source

Test Data Document:

81349-mil-m-38510 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Terminal Type And Quantity:

14 flat leads **Specification Data:** 81349-mil-m-38510/3 government specification **Shelf Life:**

- N/a
- Unit Of Measure:
- ---

NSN 5962-01-063-4743

Digital Microcircuit - Page 2 of 2

Demilitarization:

Yes - demil/mli

Fiig:

A458a0

