

View Online at <https://aerobasegroup.com/nsn/5962-01-064-1325>

**Body Length:**

Between 0.300 inches and 0.390 inches

**Body Width:**

Between 0.200 inches and 0.275 inches

**Body Height:**

Between 0.030 inches and 0.080 inches

**Maximum Power Dissipation Rating:**

500.0 milliwatts

**Operating Temperature Range:**

-55.0/+125.0 degrees celsius

**Storage Temperature Range:**

-65.0/+150.0 degrees celsius

**Features Provided:**

Hermetically sealed and monolithic and positive outputs and w/enable

**Inclosure Material:**

Glass and metal

**Inclosure Configuration:**

Flat pack

**Output Logic Form:**

Complementary-metal oxide-semiconductor logic

**Input Circuit Pattern:**

Quad 2 input

**Design Function And Quantity:**

4 multiplexer

**Terminal Surface Treatment:**

Gold

**Voltage Rating And Type Per Characteristic:**

16.3 volts power source

**Time Rating Per Characteristic:**

300.00 nanoseconds propagation delay time, low to high level output and 300.00 nanoseconds propagation delay time, high to low level output

**Precious Material And Location:**

Terminal and body surfaces gold

**Precious Material:**

Gold

**Terminal Type And Quantity:**

16 flat leads

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A458a0