# NSN 5962-01-065-0191

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-065-0191

#### **Body Outside Diameter:**

Between 0.335 inches and 0.370 inches

#### **Body Height:**

Between 0.165 inches and 0.185 inches

# **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

#### Storage Tempurature Range:

-65.0/+150.0 degrees celsius

#### **Features Provided:**

Hermetically sealed and monolithic and high gain and positive outputs

#### **Inclosure Material:**

Glass and metal

#### Inclosure Configuration:

Can

#### Input Circuit Pattern:

3 input

#### **Design Function And Quantity:**

1 amplifier, audio frequency and 1 amplifier, intermediate frequency and 1 amplifier, radio frequency and 1 amplifier, wideband

#### Case Outline Source And Designator:

A-1 mil-m-38510

# **Terminal Surface Treatment:**

Gold

#### Voltage Rating And Type Per Characteristic:

5.0 volts power source

#### **Precious Material And Location:**

Terminal surfaces gold

#### **Precious Material:**

Gold

#### Test Data Document:

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

#### Terminal Type And Quantity:

8 pin

# Shelf Life:

N/a

# Unit Of Measure:

--

#### Demilitarization:

Yes - demil/mli

Fiig:

A458a0