NSN 5962-01-067-1338

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-067-1338 **Body Length:** Between 1.680 inches and 1.720 inches **Body Width:** Between 1.080 inches and 1.120 inches **Body Height:** Between 0.260 inches and 0.300 inches **Maximum Power Dissipation Rating:** 1165.0 milliwatts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **Features Provided:** Hermetically sealed and monolithic and positive outputs and edge triggered and expandable and negative outputs and positive outputs **Inclosure Material:** Ceramic and metal **Inclosure Configuration:** Dual-in-line **Output Logic Form:** Transistor-transistor logic **Input Circuit Pattern:** 16 input **Terminal Surface Treatment:** Gold **Product Name:** System, data acquisition single Voltage Rating And Type Per Characteristic: 20.0 volts power source **Precious Material And Location:** Terminal surface gold **Precious Material:** Gold **Test Data Document:** 96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.). **Terminal Type And Quantity:** 32 printed circuit Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

Yes - demil/mli

NSN 5962-01-067-1338

Digital Microcircuit - Page 2 of 2



Fiig:

A458a0