NSN 5962-01-067-4982

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-067-4982

Body Length: 2.080 inches **Body Width:** Between 0.510 inches and 0.615 inches **Body Height:** Between 0.165 inches and 0.205 inches **Maximum Power Dissipation Rating:** 1.7 watts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **Features Provided:** Hermetically sealed and monolithic and positive outputs and negative outputs and 3-state output and w/buffered output and resettable and w/enable and edge triggered and w/storage **Inclosure Material:** Ceramic and glass **Inclosure Configuration:** Dual-in-line **Output Logic Form:** N-type metal oxide-semiconductor logic **Input Circuit Pattern:** 18 input **Design Function And Quantity:** 1 microprocessor **Case Outline Source And Designator:** Q-1 mil-m-38510 **Terminal Surface Treatment:** Solder Voltage Rating And Type Per Characteristic: 20.0 volts power source **Test Data Document:** 81349-mil-m-38510 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Terminal Type And Quantity:** 40 printed circuit **Specification Data:** 81349-mil-m-38510/420 government specification Shelf Life: N/a

Unit Of Measure:

- **Demilitarization:** Vaa damil/mli

NSN 5962-01-067-4982

Digital Microcircuit - Page 2 of 2

Fiig: A458a0

