NSN 5962-01-067-7307

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-067-7307 **Body Length:** 1.202 inches **Body Width:** 0.700 inches **Body Height:** 0.300 inches **Maximum Power Dissipation Rating:** 2.1 watts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **End Application:** 5820-01-027-9071 radio set **Features Provided:** Monolithic and hermetically sealed and positive outputs **Inclosure Material:** Glass and metal **Inclosure Configuration:** Can **Input Circuit Pattern:** 2 input **Design Function And Quantity:** 1 regulator, voltage **Terminal Surface Treatment:** Solder **Time Rating Per Chacteristic:** 150.00 nanoseconds propagation delay time, low to high level output and 75.00 nanoseconds propagation delay time, high to low level output **Test Data Document:** 87990-755002a7617 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) **Terminal Type And Quantity:** 4 pin Shelf Life: N/a **Unit Of Measure:**

Yes - demil/mli

Demilitarization:

Fiig:

A458a0