NSN 5962-01-067-7729

Linear Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-067-7729 **Body Length:** Between 1.439 inches and 1.573 inches **Body Width:** Between 0.990 inches and 1.050 inches **Body Height:** Between 0.250 inches and 0.450 inches **Maximum Power Dissipation Rating:** 120.0 watts **Operating Tempurature Range:** +0.0/+150.0 degrees celsius Storage Tempurature Range: -55.0/+150.0 degrees celsius **Features Provided:** Hermetically sealed and monolithic and positive outputs **Inclosure Material:** Glass and metal **Inclosure Configuration:** Can **Input Circuit Pattern:** 1 input **Design Function And Quantity:** 1 regulator, voltage **Case Outline Source And Designator:** T0-3 joint electron device engineering council **Terminal Surface Treatment:** Gold Voltage Rating And Type Per Characteristic: 44.0 volts power source **Precious Material And Location:** Terminal surface gold **Precious Material:** Gold **Test Data Document:** 96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.). **Terminal Type And Quantity:** 3 pin Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

Yes - demil/mli

NSN 5962-01-067-7729

Linear Microcircuit - Page 2 of 2



Fiig:

A458a0