NSN 5962-01-068-1676

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-068-1676

view Offilite at https://defobasegroup.com/nsn/0302-01-000-1070
Body Length:
Between 1.439 inches and 1.573 inches
Body Width:
Between 0.990 inches and 1.050 inches
Body Height:
Between 0.250 inches and 0.450 inches
Maximum Power Dissipation Rating:
2.5 watts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
End Application:
Alarm set, anti-intrusion, restricted area, laser type an/gss-30
Features Provided:
Hermetically sealed and monolithic and negative outputs
Inclosure Material:
Glass and metal
Inclosure Configuration:
Can
Input Circuit Pattern:
1 input
Design Function And Quantity:
1 regulator, voltage
Case Outline Source And Designator:
Y-1 mil-m-38510
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
-35.0 volts power source
Test Data Document:
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).
Terminal Type And Quantity:
3 pin
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli

Fiig:

A458a0