# NSN 5962-01-068-7830

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-068-7830

## **Body Length:**

Between 0.745 inches and 0.755 inches

### Body Width:

Between 0.240 inches and 0.260 inches

## **Body Height:**

Between 0.120 inches and 0.140 inches

# **Maximum Power Dissipation Rating:**

450.0 milliwatts

#### **Operating Tempurature Range:**

+0.0/+70.0 degrees celsius

#### Storage Tempurature Range:

-65.0/+150.0 degrees celsius

#### **Features Provided:**

Hermetically sealed and positive outputs and w/enable and unipolar and medium speed

#### Inclosure Material:

Plastic

#### Inclosure Configuration:

Dual-in-line

#### Input Circuit Pattern:

11 input

#### **Design Function And Quantity:**

1 converter, digital to analog

# **Terminal Surface Treatment:**

Solder

#### Voltage Rating And Type Per Characteristic:

17.0 volts power source

#### **Time Rating Per Chacteristic:**

500.00 nanoseconds propagation delay time, low to high level output

#### **Terminal Type And Quantity:**

16 printed circuit

#### Shelf Life:

N/a

## Unit Of Measure:

---

#### Demilitarization:

Yes - demil/mli

Fiig:

A458a0