NSN 5962-01-068-7831



Linear Microcircuit - Page 1 of 1 View Online at https://aerobasegroup.com/nsn/5962-01-068-7831 **Body Length:** Between 1.192 inches and 1.208 inches **Body Width:** Between 0.582 inches and 0.598 inches **Body Height:** Between 0.052 inches and 0.068 inches **Maximum Power Dissipation Rating:** 540.0 milliwatts **Operating Tempurature Range:** +0.0/+70.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **Features Provided:** Monolithic and hermetically sealed and negative outputs and positive outputs and adjustable and bipolar **Inclosure Material:** Ceramic and glass **Inclosure Configuration:** Dual-in-line **Input Circuit Pattern:** 17 input **Design Function And Quantity:** 1 converter, digital to analog **Terminal Surface Treatment:** Solder Voltage Rating And Type Per Characteristic: 15.8 volts power source **Time Rating Per Chacteristic:** 1500.00 nanoseconds propagation delay time, low to high level output and 1500.00 nanoseconds propagation delay time, high to low level output **Terminal Type And Quantity:** 24 printed circuit Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

Yes - demil/mli

Fiig:

A458a0