NSN 5962-01-068-7833

Linear Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-068-7833

Body Length:

Between 1.439 inches and 1.573 inches

Body Width:

Between 0.990 inches and 1.050 inches

Body Height:

Between 0.250 inches and 0.450 inches

Maximum Power Dissipation Rating:

20.0 watts

Operating Tempurature Range:

-55.0/+125.0 degrees celsius

Storage Tempurature Range:

-65.0/+150.0 degrees celsius

End Application:

Sight, thermal, tank mounted type an/vsg-2

Features Provided:

Hermetically sealed and monolithic and negative outputs and fixed

Inclosure Material:

Metal

Inclosure Configuration:

Can

Input Circuit Pattern:

1 input

Design Function And Quantity:

1 regulator, voltage

Case Outline Source And Designator:

T0-3 joint electron device engineering council

Terminal Surface Treatment:

Gold

Voltage Rating And Type Per Characteristic:

10.5 volts power source

Special Features:

Case isground terminal

Precious Material And Location:

Terminal surface gold

Precious Material:

Gold

Test Data Document:

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

Terminal Type And Quantity:

3 pin

Shelf Life:

N/a

NSN 5962-01-068-7833

Linear Microcircuit - Page 2 of 2

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A458a0

