NSN 5962-01-069-0416

Memory Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-069-0416 **Body Length:** Between 0.750 inches and 0.795 inches **Body Width:** Between 0.245 inches and 0.300 inches **Body Height:** Between 0.120 inches and 0.195 inches **Maximum Power Dissipation Rating:** 625.0 milliwatts **Operating Tempurature Range:** -30.0/+85.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **Features Provided:** Hermetically sealed and monolithic and negative outputs and w/enable and high speed and w/decoded output and expandable and w/strobe **Inclosure Material:** Ceramic and glass **Inclosure Configuration:** Dual-in-line **Output Logic Form:** Emitter-coupled logic **Input Circuit Pattern:** 10 input **Case Outline Source And Designator:** -0-001-ag joint electron device engineering council **Terminal Surface Treatment:** Solder **Time Rating Per Chacteristic:** 10.00 nanoseconds propagation delay time, low to high level output **Memory Device Type:** Ram **Terminal Type And Quantity:** 16 printed circuit Shelf Life: N/a **Unit Of Measure: Demilitarization:** Yes - demil/mli

Fiig:

A458a0