NSN 5962-01-069-4521

Memory Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-069-4521 **Body Length:** Between 1.208 inches and 1.232 inches **Body Width:** Between 0.495 inches and 0.505 inches **Body Height:** 0.060 inches **Maximum Power Dissipation Rating:** 1.25 watts **Operating Tempurature Range:** -55.0/+85.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **Features Provided:** Hermetically sealed and low power and positive outputs **Inclosure Material:** Ceramic and metal **Inclosure Configuration:** Dual-in-line **Output Logic Form:** P-type metal oxide-semiconductor logic **Input Circuit Pattern:** 10 input **Terminal Surface Treatment:** Gold Voltage Rating And Type Per Characteristic: -30.0 volts power source **Time Rating Per Chacteristic:** 100.00 nanoseconds propagation delay time, low to high level output and 100.00 nanoseconds propagation delay time, high to low level output **Memory Device Type:** Rom **Precious Material And Location:** Terminal surface gold **Precious Material:** Gold **Terminal Type And Quantity:** 24 printed circuit Shelf Life: N/a

Demilitarization: Yes - demil/mli

Unit Of Measure:

NSN 5962-01-069-4521

Memory Microcircuit - Page 2 of 2



Fiig:

A458a0