## NSN 5962-01-072-1467

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-072-1467 **Body Length:** Between 0.740 inches and 0.757 inches **Body Width:** 0.280 inches **Body Height:** 0.085 inches **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **End Application:** Trainer, simulator, electronic warfare, type an/alq-t5 **Features Provided:** Monolithic and hermetically sealed and high speed and positive outputs and negative outputs **Inclosure Material:** Ceramic and glass **Inclosure Configuration:** Dual-in-line **Input Circuit Pattern:** 11 input **Design Function And Quantity:** 1 converter, digital to analog **Terminal Surface Treatment:** Solder **Voltage Rating And Type Per Characteristic:** 16.5 volts power source **Time Rating Per Chacteristic:** 250.00 nanoseconds propagation delay time, low to high level output and 250.00 nanoseconds propagation delay time, high to low level output **Test Data Document:** 96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.). **Terminal Type And Quantity:** 16 printed circuit Shelf Life: N/a **Unit Of Measure:** 

Fiig:

A458a0

**Demilitarization:** Yes - demil/mli