NSN 5962-01-073-9543

Linear Microcircuit - Page 1 of 1

Demilitarization: Yes - demil/mli

Fiig: A458a0



View Online at https://aerobasegroup.com/nsn/5962-01-073-9543 **Body Length:** Between 0.930 inches and 0.975 inches **Body Width:** Between 0.245 inches and 0.300 inches **Body Height:** Between 0.140 inches and 0.180 inches **Maximum Power Dissipation Rating:** 270.0 milliwatts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **Features Provided:** Complementary outputs and hermetically sealed and monolithic and negative outputs and positive outputs and w/buffered output and 3-state output **Inclosure Material:** Ceramic and glass **Inclosure Configuration:** Dual-in-line **Input Circuit Pattern:** 10 input **Design Function And Quantity:** 8 buffer and 2 driver **Terminal Surface Treatment:** Solder **Voltage Rating And Type Per Characteristic:** 5.5 volts power source **Time Rating Per Chacteristic:** 18.00 nanoseconds propagation delay time, low to high level output and 18.00 nanoseconds propagation delay time, high to low level output **Terminal Type And Quantity:** 20 printed circuit Shelf Life: N/a **Unit Of Measure:**