NSN 5962-01-074-1671

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-074-1671 **Body Length:** 3.000 inches **Body Width:** 2.000 inches **Body Height:** 0.500 inches **Maximum Power Dissipation Rating:** 3.1 watts **Operating Tempurature Range:** -0.0/+70.0 degrees celsius Storage Tempurature Range: -62.0/+125.0 degrees celsius **Features Provided:** Monolithic and hermetically sealed and negative outputs and positive outputs and high voltage **Inclosure Material:** Glass and metal **Inclosure Configuration:** Dual-in-line **Input Circuit Pattern:** 3 input **Design Function And Quantity:** 1 amplifier, operational, general purpose **Terminal Surface Treatment:** Gold **Time Rating Per Chacteristic:** 50000.00 nanoseconds agc threshold blank **Precious Material And Location:** Terminals surfaces gold **Precious Material:** Gold **Test Data Document:** 30003-247as-c1199 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) **Terminal Type And Quantity:** 7 printed circuit Shelf Life: N/a **Unit Of Measure:**

Fiig:

A458a0

Demilitarization: Yes - demil/mli