# NSN 5962-01-074-4780

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-074-4780

# **Body Length:**

Between 0.983 inches and 0.997 inches

# **Body Width:**

Between 0.483 inches and 0.497 inches

# **Body Height:**

0.140 inches

# **Maximum Power Dissipation Rating:**

4.0 watts

## **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

#### Storage Tempurature Range:

-65.0/+150.0 degrees celsius

#### **End Application:**

Guidance unit, midcourse, type cp-1137/dsq-28

#### **Features Provided:**

Hermetically sealed and internally compensated and hybrid

Inclosure Material:

Glass and metal

# Inclosure Configuration:

Dual-in-line

# Input Circuit Pattern:

4 input

#### **Design Function And Quantity:**

1 regulator, voltage

# **Terminal Surface Treatment:**

Solder

# Voltage Rating And Type Per Characteristic:

40.0 volts power source

# **Test Data Document:**

30003-642as7928 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing,

etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

# Terminal Type And Quantity:

7 printed circuit

#### Shelf Life:

N/a

#### Unit Of Measure:

---

## Demilitarization:

Yes - demil/mli

## Fiig:

A458a0