NSN 5962-01-074-8858

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-074-8858

view Online at https://aerobasegroup.com/hsh/5962-01-074-6656
Body Length:
Between 1.430 inches and 1.450 inches
Body Width:
Between 0.530 inches and 0.550 inches
Body Height:
Between 0.095 inches and 0.115 inches
Maximum Power Dissipation Rating:
1200.0 milliwatts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
End Application:
Guidance unit, midcourse, type cp-1137/dsq-28
Features Provided:
Hermetically sealed and monolithic and positive outputs
Inclosure Material:
Ceramic and glass
Inclosure Configuration:
Dual-in-line
Input Circuit Pattern:
16 channel
Design Function And Quantity:
1 multiplexer, analog
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
20.0 volts power source
Test Data Document:
30003-642as7920 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing
etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Terminal Type And Quantity:
28 printed circuit
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli

Fiig:

A458a0