## NSN 5962-01-074-8866

Digital Microcircuit - Page 1 of 1

Yes - demil/mli

Fiig: A458a0



View Online at https://aerobasegroup.com/nsn/5962-01-074-8866 **Body Length:** Between 0.371 inches and 0.400 inches **Body Width:** Between 0.247 inches and 0.285 inches **Body Height:** Between 0.050 inches and 0.080 inches **Maximum Power Dissipation Rating:** 90.0 milliwatts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **End Application:** Guidance unit, midcourse, type cp-1137/dsq-28 **Features Provided:** Hermetically sealed and monolithic and positive outputs and low power and schottky **Inclosure Material:** Ceramic and glass **Inclosure Configuration:** Flat pack **Output Logic Form:** Transistor-transistor logic **Input Circuit Pattern:** Quad 3-2-2-3 input **Design Function And Quantity:** 4 latch, nand, r/s **Test Data Document:** 30003-642as8022 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a **Unit Of Measure: Demilitarization:**