# NSN 5962-01-076-8840

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-076-8840

# Body Length:

0.840 inches

### Body Width:

Between 0.220 inches and 0.310 inches

### **Body Height:**

Between 0.140 inches and 0.185 inches

#### **Maximum Power Dissipation Rating:**

71.5 milliwatts

#### **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

#### Storage Tempurature Range:

-65.0/+150.0 degrees celsius

#### **Features Provided:**

Hermetically sealed and monolithic and positive outputs and low power and schottky and w/decoded output

#### **Inclosure Material:**

Ceramic and glass

### Inclosure Configuration:

Dual-in-line

#### **Output Logic Form:**

Transistor-transistor logic

#### Input Circuit Pattern:

4 input

#### Design Function And Quantity:

1 decoder, binary coded decimal to seven segment

#### Case Outline Source And Designator:

D-2 mil-m-38510

#### **Terminal Surface Treatment:**

Solder

#### Voltage Rating And Type Per Characteristic:

5.5 volts power source

#### **Test Data Document:**

81349-mil-m-38510 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

#### Terminal Type And Quantity:

16 printed circuit

#### **Specification Data:**

81349-mil-m-38510/307 government specification

#### Shelf Life:

N/a

#### Unit Of Measure:

\_ .

## Demilitarization:

Yes - demil/mli

# NSN 5962-01-076-8840

Digital Microcircuit - Page 2 of 2

**Fiig:** A458a0

