## NSN 5962-01-076-8992

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-076-8992

Body Length:	
0.765 inches	
Body Width:	
0.248 inches	
Body Height:	
0.150 inches	
Maximum Pow	ver Dissipation Rating:
780.0 milliwatts	5
Operating Ten	npurature Range:
-55.0/+125.0 de	egrees celsius
Storage Temp	ourature Range:
-65.0/+150.0 de	egrees celsius
Features Prov	vided:
Monolithic and	hermetically sealed and w/enable and negative outputs and positive outputs
Inclosure Mate	erial:
Ceramic and gl	lass
Inclosure Con	figuration:
Dual-in-line	
Input Circuit P	Pattern:
8 channel	
Design Functi	ion And Quantity:
1 multiplexer, a	analog
Terminal Surfa	ace Treatment:
Solder	
Voltage Rating	g And Type Per Characteristic:
15.0 volts pow	ver source
Time Rating P	Per Chacteristic:
350.00 nanose	conds propagation delay time, low to high level output
Test Data Doc	sument:
96906-mil-std-8	883 standard (includes industry or association standards, individual manufactureer standards, etc.).
Terminal Type	e And Quantity:
16 printed circu	Jit
Shelf Life:	
N/a	
Unit Of Measu	ire:
Demilitarizatio	on:
Yes - demil/mli	
Fiig:	
A458a0	