NSN 5962-01-076-8993

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-076-8993

| Body Outside Diameter: |
|---|
| Between 0.336 inches and 0.376 inches |
| Body Height: |
| Between 0.165 inches and 0.185 inches |
| Operating Tempurature Range: |
| -55.0/+125.0 degrees celsius |
| Storage Tempurature Range: |
| -55.0/+125.0 degrees celsius |
| Features Provided: |
| Hybrid and hermetically sealed and positive outputs |
| Inclosure Material: |
| Glass and metal |
| Inclosure Configuration: |
| Can |
| Input Circuit Pattern: |
| 2 input |
| Criticality Code Justification: |
| Feat |
| Design Function And Quantity: |
| 1 amplifier, reference |
| Terminal Surface Treatment: |
| Solder |
| Voltage Rating And Type Per Characteristic: |
| 6.5 volts power source |
| Special Features: |
| Weapon system essential |
| Test Data Document: |
| 82577-934246 standard (includes industry or association standards, individual manufactureer standards, etc.). |
| Terminal Type And Quantity: |
| 6 pin |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| Yes - demil/mli |
| Fiig: |
| A458a0 |
| |