

View Online at <https://aerobasegroup.com/nsn/5962-01-079-4556>

**Body Length:**

Between 1.980 inches and 2.020 inches

**Body Width:**

Between 0.565 inches and 0.590 inches

**Body Height:**

Between 0.050 inches and 0.120 inches

**Maximum Power Dissipation Rating:**

250.0 milliwatts

**Operating Temperature Range:**

-55.0/+125.0 degrees celsius

**Storage Temperature Range:**

-55.0/+150.0 degrees celsius

**Features Provided:**

Monolithic and hermetically sealed and positive outputs and w/buffered output and bipolar and bidirectional and programmable and 3-state output and w/enable and dynamic and w/storage

**Inclosure Material:**

Ceramic and metal

**Inclosure Configuration:**

Dual-in-line

**Output Logic Form:**

N-type metal oxide-semiconductor logic

**Input Circuit Pattern:**

22 input

**Design Function And Quantity:**

1 timer

**Terminal Surface Treatment:**

Gold

**Voltage Rating And Type Per Characteristic:**

-0.3 volts power source and 15.0 volts power source

**Precious Material And Location:**

Terminal surfaces gold

**Precious Material:**

Gold

**Test Data Document:**

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

**Terminal Type And Quantity:**

40 printed circuit

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A458a0