NSN 5962-01-082-9850

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-082-9850

view Offilite at https://aerobasegroup.com/hist//3302-01-002-3030
Body Length:
Between 0.745 inches and 0.770 inches
Body Width:
Between 0.240 inches and 0.260 inches
Body Height:
Between 0.105 inches and 0.180 inches
Maximum Power Dissipation Rating:
500.0 milliwatts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
End Application:
Radar set, type an/apn-221
Features Provided:
Monolithic and hermetically sealed and positive outputs and medium speed and medium power
Inclosure Material:
Ceramic and glass
Inclosure Configuration:
Dual-in-line
Output Logic Form:
Complementary-metal oxide-semiconductor logic
Input Circuit Pattern:
Triple 3 input
Design Function And Quantity:
3 gate, and
Case Outline Source And Designator:
-0-001-ab joint electron device engineering council
Time Rating Per Chacteristic:
420.00 nanoseconds propagation delay time, low to high level output and 320.00 nanoseconds propagation delay time, high to low level
output
Test Data Document:
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).
Shelf Life:
N/a
Unit Of Measure:

Domilitarization

Fiig:

A458a0

Yes - demil/mli