NSN 5962-01-085-6041

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-085-6041 **Body Length:** 0.870 inches **Body Width:** 0.310 inches **Body Height:** Between 0.140 inches and 0.185 inches **Maximum Power Dissipation Rating:** 500.0 milliwatts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **End Application:** Training set, tactical electronic warfare, type no. An/mst-t1 **Features Provided:** Monolithic and hermetically sealed and positive outputs and bipolar **Inclosure Material:** Ceramic and glass **Inclosure Configuration:** Dual-in-line **Input Circuit Pattern:** 12 input **Design Function And Quantity:** 1 converter, digital to analog **Terminal Surface Treatment:** Tin **Time Rating Per Chacteristic:** 375.00 nanoseconds propagation delay time, low to high level output **Test Data Document:** 81755-c10601 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a **Unit Of Measure:** Demilitarization:

Yes - demil/mli

Fiig:

A458a0