NSN 5962-01-087-5958

Linear Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-087-5958 **Body Length:** 1.575 inches **Body Width:** 1.050 inches **Body Height:** Between 0.308 inches and 0.326 inches **Maximum Power Dissipation Rating:** 150.0 watts **Operating Tempurature Range:** -40.0/+150.0 degrees celsius Storage Tempurature Range: -62.0/+150.0 degrees celsius **Features Provided:** Monolithic and hermetically sealed **Inclosure Material:** Glass and metal **Inclosure Configuration:** Can **Input Circuit Pattern:** 2 input **Design Function And Quantity:** 1 protector, overvoltage **Terminal Surface Treatment:** Gold Voltage Rating And Type Per Characteristic: 6.0 volts power source **Special Features:** Term. 3 electrically connected to case; dc trip voltage, 7.3 **Precious Material And Location:** Terminal surface gold **Precious Material:** Gold **Test Data Document:** 80063-sm-a-942671 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) **Terminal Type And Quantity:** 2 pin Shelf Life: N/a **Unit Of Measure:**

Demilitarization: Yes - demil/mli

NSN 5962-01-087-5958

Linear Microcircuit - Page 2 of 2



Fiig:

A458a0