NSN 5962-01-087-6730

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-087-6730
Body Length:
Between 0.740 inches and 0.780 inches
Body Width:
Between 0.220 inches and 0.280 inches
Body Height:
Between 0.170 inches and 0.180 inches
Maximum Power Dissipation Rating:
1000.0 milliwatts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
Features Provided:
Hermetically sealed and burn in and w/resistor and monolithic
Inclosure Material:
Ceramic
Inclosure Configuration:
Dual-in-line
Input Circuit Pattern:
8 input
Design Function And Quantity:
1 modulator, regulator pulse width
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
40.0 volts power source
Time Rating Per Chacteristic:
2000.00 nanoseconds propagation delay time, low to high level output and 2000.00 nanoseconds propagation delay time, high to low level
output
Terminal Type And Quantity:
16 printed circuit
Specification Data:
18876-13048925 manufacturers source control
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli

Fiig:

A458a0