## NSN 5962-01-089-1816

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-089-1816

Body Length:	
0.840 inches	
Body Width:	
Between 0.220 inc	hes and 0.310 inches
Body Height:	
Between 0.140 inc	hes and 0.185 inches
Maximum Power	Dissipation Rating:
200.0 milliwatts	
Operating Tempu	irature Range:
-55.0/+125.0 degre	ees celsius
Storage Tempura	ture Range:
-65.0/+150.0 degr	ees celsius
Features Provide	d:
Hermetically seale	d and monolithic and positive outputs and w/enable and resettable
Inclosure Materia	I:
Ceramic and glass	
Inclosure Config	uration:
Dual-in-line	
Output Logic For	m:
Complementary-m	etal oxide-semiconductor logic
Input Circuit Patt	ern:
3 input	
Design Function	And Quantity:
1 counter	
Case Outline Sou	rce And Designator:
D-2 mil-m-38510	
Terminal Surface	Treatment:
Solder	
Voltage Rating A	nd Type Per Characteristic:
15.5 volts powers	source
Test Data Docum	ent:
81349-mil-m-3851	0 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes	commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and	performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Terminal Type Ar	nd Quantity:
16 printed circuit	
Specification Dat	a:
81349-mil-m-3851	0/56 government specification
Shelf Life:	
N/a	
Unit Of Measure:	
 Demilitarization:	
Yes - demil/mli	

## NSN 5962-01-089-1816

Digital Microcircuit - Page 2 of 2

**Fiig:** A458a0

