# NSN 5962-01-091-1136

Memory Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-091-1136

## **Body Length:**

Between 2.030 inches and 2.070 inches

## **Body Width:**

Between 0.510 inches and 0.530 inches

## **Body Height:**

Between 0.140 inches and 0.180 inches

# Maximum Power Dissipation Rating:

1.0 watts

#### **Operating Tempurature Range:**

-0.0/+70.0 degrees celsius

#### Storage Tempurature Range:

-65.0/+150.0 degrees celsius

#### **Features Provided:**

Hermetically sealed and monolithic and w/enable and programmable and synchronous and w/decoded output

#### **Inclosure Material:**

Ceramic and glass

# Inclosure Configuration:

Dual-in-line

## **Output Logic Form:**

Complementary-metal oxide-semiconductor logic

#### Input Circuit Pattern:

13 input

# **Terminal Surface Treatment:**

Solder

#### **Product Name:**

Memory interface

#### Voltage Rating And Type Per Characteristic:

-20.0 volts power source and 0.5 volts power source

#### Time Rating Per Chacteristic:

400.00 nanoseconds propagation delay time, low to high level output and 400.00 nanoseconds propagation delay time, high to low level output

#### **Terminal Type And Quantity:**

40 printed circuit

#### Shelf Life:

N/a

# Unit Of Measure:

---

## Demilitarization:

Yes - demil/mli

## Fiig:

A458a0