# NSN 5962-01-092-4784

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-092-4784

# **Body Outside Diameter:**

Between 0.335 inches and 0.370 inches

# **Body Height:**

Between 0.165 inches and 0.185 inches

# Maximum Power Dissipation Rating:

300.0 milliwatts

### **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

# Storage Tempurature Range:

-65.0/+150.0 degrees celsius

# **Features Provided:**

Hermetically sealed and monolithic and positive outputs

#### Inclosure Material:

Metal

Inclosure Configuration:

#### Can

Input Circuit Pattern:

2 input

# **Design Function And Quantity:**

1 amplifier, intermediate frequency

# Case Outline Source And Designator:

T0-100 joint electron device engineering council

# **Terminal Surface Treatment:**

Solder

# Voltage Rating And Type Per Characteristic:

10.0 volts power source

# **Test Data Document:**

94117-321034 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

# Terminal Type And Quantity:

10 pin

Shelf Life:

N/a

#### Unit Of Measure:

---

# Demilitarization:

Yes - demil/mli

Fiig:

A458a0