## NSN 5962-01-097-2134

Digital Microcircuit - Page 1 of 1

Yes - demil/mli

Fiig: A458a0



View Online at https://aerobasegroup.com/nsn/5962-01-097-2134 **Body Length:** 2.020 inches **Body Width:** 0.590 inches **Body Height:** Between 0.105 inches and 0.145 inches **Maximum Power Dissipation Rating:** 20.0 milliwatts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **Features Provided:** Hermetically sealed and monolithic and low power and programmable and asynchronous and w/register output and resettable and w/enable **Inclosure Material:** Ceramic and glass **Inclosure Configuration:** Dual-in-line **Output Logic Form:** Complementary-metal oxide-semiconductor logic **Input Circuit Pattern:** 22 input **Terminal Surface Treatment:** Solder Voltage Rating And Type Per Characteristic: 12.0 volts power source **Time Rating Per Chacteristic:** 100.00 nanoseconds propagation delay time, low to high level output and 100.00 nanoseconds propagation delay time, high to low level output **Terminal Type And Quantity:** 40 printed circuit Shelf Life: N/a **Unit Of Measure:** Demilitarization: