# NSN 5962-01-097-2449

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-097-2449

# Body Length:

0.785 inches

### **Body Width:**

Between 0.220 inches and 0.310 inches

## **Body Height:**

0.185 inches

# **Maximum Power Dissipation Rating:**

500.0 milliwatts

#### **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

#### Storage Tempurature Range:

-65.0/+150.0 degrees celsius

#### **End Application:**

An/arc-164

#### Features Provided:

Electrostatic sensitive and monolithic and burn in

#### Inclosure Material:

Ceramic

#### Inclosure Configuration:

Dual-in-line

# Output Logic Form:

Complementary-metal oxide-semiconductor logic

#### Input Circuit Pattern:

Hex 1 input

#### **Design Function And Quantity:**

6 schmitt trigger

#### **Terminal Surface Treatment:**

Solder

#### Voltage Rating And Type Per Characteristic:

-0.5 volts power source and 18.0 volts power source

#### Test Data Document:

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

#### **Terminal Type And Quantity:**

14 printed circuit

#### Shelf Life:

N/a

#### Unit Of Measure:

--

#### Demilitarization:

Yes - demil/mli

# Fiig:

A458a0