NSN 5962-01-097-3073



Linear Microcircuit - Page 1 of 1 View Online at https://aerobasegroup.com/nsn/5962-01-097-3073 **Body Length:** Between 1.514 inches and 1.544 inches **Body Width:** Between 0.980 inches and 1.100 inches **Body Height:** Between 0.355 inches and 0.395 inches **Maximum Power Dissipation Rating:** 105.0 milliwatts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **Features Provided:** Hermetically sealed and hybrid and w/complement and high gain and externally compensated **Inclosure Material:** Glass and metal **Inclosure Configuration:** Can **Input Circuit Pattern:** 3 input **Design Function And Quantity:** 1 amplifier, operational, power **Case Outline Source And Designator:** T0-3 joint electron device engineering council **Terminal Surface Treatment:** Solder Voltage Rating And Type Per Characteristic: 15.0 volts power source **Test Data Document:** 82577-934229 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) **Terminal Type And Quantity:** 8 pin Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

Yes - demil/mli

Fiig:

A458a0